P 06 327 0099 | 0800 422 522 (24 hrs) F 06 327 6970

Compliance Schedule Details: SS 15/3 – Fire Separations							
Please provide the following information with your Building Consent Application - Form 2							
(If you need help to complete this form, consult the system provider or an IQP who is registered for the system above)							
Appli	cant Name:			Building Name:			
Site /	Address:			Installation provider: (if known)			
Exist	ing Compliance S	chedule Number(s): ((if applicable)	Risk / Purpose group:			
				Fire Hazard Category:			
				Total Occupant Load:			
		M DESCRIPTION					
	cified systems:						
Туре	•	☐ Fire door formin☐ Walls forming a		-			
		☐ Fire rated floor i					
Loca	tion Plan for exit	ts and records is att					
No.	Location		Equipment used (e.g. Doors, collars, wraps etc.) FRR (Fire rating)				
1							
2							
3							
4							
				If needed continue the list on	another sheet of paper		
STA	NDARDS (addres	ss those items that appl	y)				



P 06 327 0099 | 0800 422 522 (24 hrs) F 06 327 6970 E info@rangitikei.govt.nz 46 High Street, Private Bag 1102, Marton 4741

Specifically, designed solutions do not apply if the system has been installed against a specific Standard(s) / document.			



P 06 327 0099 | 0800 422 522 (24 hrs) F 06 327 6970

Performance / installation:	AS 1530.4:2014 Methods for fire tests on building materials, components and structures Fireresistance tests for elements of construction.
	□ NZS 4520:2010 Fire-resistant doorsets.
	AS/NZS 1905.1:1997 Components for the protection of openings in fire-resistant walls - Fire-resistant doorsets.
	□ NZS 4232.1:1988 Performance criteria for fire resisting enclosures - Internal and external fire doorsets.
	□ NZS 4232 Performance criteria for fire resisting closures. Part 2: 1988 Fire resisting glazing systems
	☐ AS 1851:2012 Maintenance of Fire Protection Systems and Equipment
	☐ C/AS2 Acceptable Solution for Buildings other than Risk Group SH. 27 Oct 2019. Amd 1. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.
	☐ C/AS2 Acceptable Solution for Buildings other than Risk Group SH. 27 Jun 2019. 1st Ed. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.
	☐ C/AS2 Acceptable Solution for Buildings with Sleeping (non-institutional) (Risk Group SM). 1 Jan 2017.Amd 4. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.
	☐ C/AS3 Acceptable Solution for Buildings Where Care or Detention is Provided (Risk Group SI). 1 Jan 2017. Amd 4. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.
	☐ C/AS4 Acceptable Solution for Buildings with Public Access and Educational Facilities (Risk Group CA) 1 Jan 2017. Amd 4. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.
	☐ C/AS5 Acceptable Solution for Buildings used for Business, Commercial and Low-Level Storage (Risk Group WB) 1 Jan 2017. Amd 4. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.
	☐ C/AS6 Acceptable Solution for Buildings used for High Level Storage and Other High Risk Purposes (Risk Group WS) 1 Jan 2017. Amd 4. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.
	☐ C/AS7 Acceptable Solution for Buildings Used for Vehicle Storage and Parking (Risk Group VP) 1 Jan 2017. Amd 4. Part 2: Firecells, fire safety systems and fire resistance ratings & Part 4: Control of internal fire and smoke spread.



P 06 327 0099 | 0800 422 522 (24 hrs) F 06 327 6970

	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 10 Oct 2011. Amd 9. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 30 Jun 2010. Amd 8. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Nov 2008. Amd 7. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 21 Jun 2007. Amd 6. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Oct 2005. Amd 5. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 4 Jul 2005. Amd 4. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 25 Feb 2004. Amd 3. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 24 Apr 2003. Amd 2. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 6 Jan 2002. Amd 1. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Jul 2001. Errata. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Jun 2001. Ver 1. Part 5: Fire Resistance Ratings & Part 6: Control of Internal Fire and Smoke Spread.
	☐ C/AS3 Acceptable Solution for Clause C3 Spread of fire. Aug 1994. Amd 2.
	☐ C/AS3 Acceptable Solution for Clause C3 Spread of fire. Apr 1994. Erratum
	☐ C/AS3 Acceptable Solution for Clause C3 Spread of fire. Dec 1993. 2nd ed Amd 1
	C/AS3 Acceptable Solution for Clause C3 Spread of fire. Jul 1992. 1st Published.
	□NZS 1900.5:1984 Model building bylaw - Fire resisting construction and means of egress
	☐ Specifically, designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so. (Details provided)
	□ Other:
1	



P 06 327 0099 | 0800 422 522 (24 hrs) F 06 327 6970

Inspections:	□ NZ 4520:2010 Fire resistant doorsets, Section 7. □ Signs of damage or deterioration that could adversely affect their fire resistance particularly with respect of closures, exposed fire stopping and surface finishNo new penetrations without suitable fire stopping -An inspection should carried out to ensure doors forming part of an escape route can be opened and are not, locked, barred, blocked. □ Other:				
Maintenance:	□ NZBC C/AS1 – C/AS7, Year:	Specifically, designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so. (Details provided)			
INSDECTIONS	MAINTENANCE AND REPORTING (addre	cos those items that apply)			
Minimum					
inspection and maintenance procedures:	Regular inspection and responsive maintenance will be carried out to ensure the fire separations prohibit the spread of fire and, in the case of fire doors; occupants are not prevented from leaving the building in the event of an emergency.				
Inspection frequency and responsibility:	Depending on the type of installation and its performance standard/document: Specifically, designed solutions: by IQP only Standard /other document: Daily by: Owner IQP Monthly by: Owner IQP Six-Monthly by: Owner IQP Annually by:				
Buildings requiring daily maintenance:	 □ CS Purpose group □ CL Purpose group □ CO Purpose group □ CM Purpose group □ Building work affecting a Final Exit 	☐ Risk Group CA			
Inspections & Maintenance:					



P 06 327 0099 | 0800 422 522 (24 hrs) F 06 327 6970 E info@rangitikei.govt.nz 46 High Street, Private Bag 1102, Marton 4741