RANGITĪKEI DISTRICT COUNCIL

00 1E // 01	C	• • • •	•
55 15/4 Siar	ns for commu	inicating il	ntormation

intended to facilitate evacuation

Compliance Schedule Details: SS15/4 Signs for communicating information intended to facilitate evacuation					
	Please provide the following information with your Building Consent Application - Form 2 (If you need help to complete this form, consult the system provider or an IQP who is registered for the system above)				
Appli	cant Name:	Building Na	Building Name:		
Site	Address:	Installation	Installation provider: (if known)		
Exist	ing Compliance Schedule Number(s): <i>(if appli</i>	cable) Risk / Purpo	Risk / Purpose group:		
		Fire Hazard	Fire Hazard Category:		
			Total Occupant Load:		
SPE	CIFIED SYSTEM DESCRIPTION (address	those items that apply)			
Spec	ified systems: Existing New] Modified 🛛 Remo	ved		
Type: Signs to facilitate evacuation: □ Exit sign □ Directional sign □ No exit sign □ Other: [specify]					
Loca	tion Plan for specified systems and record	s is attached: 🗌 YES			
No.	Equipment location Make (Main components)	Model		
1					
2					
3					
4					
5					
<u> </u>	If needed continue the list on another sheet of paper				
STANDARDS (address those items that apply)					
Specifically, designed solutions do not apply if the system has been installed against a specific Standard / document.					
			Continue on the next page		



www.rangitikei.govt.nz

RANGITĪKEI DISTRICT COUNCIL

Performance /	
installation:	☐ F8/AS1 Acceptable Solution for Clause F8 Signs. 1 Jan 2017. Amd 4 ss 2.0, 3.0 & 4.0.
	F8/AS1 Acceptable Solution for Clause F8 Signs. 14 Feb 2014. Amd 3 ss 2.0, 3.0 & 4.0.
	☐ F8/AS1 Acceptable Solution for Clause F8 Signs. 10 Apr 2012. 2nd Ed ss 2.0, 3.0 & 4.0.
	□ F8/AS1 Acceptable Solution for Clause F8 Signs. 1 Sep 1993. Amd 1 ss 1.0, 2.0 & 3.0.
	□ F8/AS1 Acceptable Solution for Clause F8 Signs. 1 Jul 1992. 1st Ed ss 1.0, 2.0 & 3.0.
	□ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 1 Jan 2017. Amd 4. ss 1.6.
	□ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 14 Feb 2014. Amd 3. ss 1.6.
	□ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 10 Oct 2011. Amd 2. ss 1.6.
	□ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 18 Oct 2007. 3rd Ed. ss 1.6.
	☐ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 21 Jun 2007. 2nd Ed. Amd 1.
	Para. 1.1.3.
	☐ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 1 June 2001. 2nd Ed. Para 1.1.3
	☐ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 1 Dec 1995 Amend 1. Para
	6.1.2.
	☐ F6/AS1 Acceptable Solution for Clause F6 Visibility in escape routes. 1 Jul 1992. 1st Ed. Para
	6.1.2.
Inspections:	└┘ NZ Building Code: F8 – Year:
	☐ Monthly Inspections. Illuminated signs should be inspected to ensure they are of the correct type, present and in the right location, legible, illuminated.
	Annual inspections. Signs not required to be illuminated should be inspected to ensure they are of correct type, present and in right location, legible and illuminated.
	☐ Standard relating to one or more of the specified systems 1–13. List Standard(s):
Maintenance:	☐ Signs shall be replaced if not of the correct type, replaced immediately should they be missing, refurbished before they become illegible. Defects in illuminated emergency signs shall be remedied immediately they are apparent.
	\Box Standard relating to one or more of the specified systems 1–13. List Standard(s):
INSPECTIONS	, MAINTENANCE AND REPORTING (address those items that apply)
Minimum inspection and maintenance procedures:	Regular Inspection and responsive maintenance will be carried out in accordance with the nominated performance and inspection Standard of the associated system, and to ensure signs remain correctly-positioned and legible and where appropriate ensure the escape route is identified.
P100600163.	



www.rangitikei.govt.nz

RANGITĪKEI DISTRICT COUNCIL

SS 15/4 Signs for communicating information

intended to facilitate evacuation

P 06 327 0099 | 0800 422 522 (24 hrs) F 06 327 6970 E info@rangitikei.govt.nz 46 High Street, Private Bag 1102, Marton 4741

Inspection	Depending on the type of installation and its performance standard/document:		
frequency and	Specifically, designed solutions: by IQP only		
responsibility	Standard /other document:		
:	\Box Daily by Owner / representative (for Risk group CA / Purpose groups CS, CL, CO, CM)		
	Monthly by IQP only (for other Risk group / Purpose groups)		
	Annually by IQP only		
Inspections &	□ Illuminated signs will be inspected to ensure they are:		
Maintenance: Monthly	The correct type		
Inspections	 Present and in the right locations Legible 		
	 Performing as required e.g. illuminated signs are illuminating. 		
Annual Inspections	 Signs not required to be illuminated will be inspected to ensure they are: The correct type 		
	 Present and in the right locations 		
	• Legible		
	□ Signs required to be illuminated will be tested to ensure they:		
	 Remain illuminated in the event of a failure of the main lighting supply, for the same duration as required by Building Code <u>Clause F6</u> Visibility in Escape Routes. 		
Reporting:	The owner will keep records of all inspections, maintenance and repairs undertaken in the previous 24 months. These will be recorded in the On-Site Log Book, which will remain on the premises with the most recent compliance schedule, and as a minimum include:		
	 Details of any inspection, test or preventative maintenance carried out, including dates, works undertaken, faults found, remedies applied and the person who performed the work. 		
	 Form 12A provided annually by the IQP 		

